# Electronic Patient Records in a Ubiquitous Setting

#### Senior Seminar Conference Fall Semester 2011

December 3<sup>rd</sup>

Brandon Botzet botze010@umn.edu

# **Using Paper Records**



#### Taken from [1]

#### Outline

Paper Records Goals of EPR MobileWard Ward-In-Hand Study EPR in Use Paper vs. EPR Conclusion

#### Goals of EPR

Workload on Staffing
Reduce Medical Errors
Ease of Accessing Information

#### MobileWard

#### • PocketPC

#### Context-Aware

#### • View and Record Patient Records

#### Scanner



 Taken from [1]

 Electronic Patient Records in a Ubiquitous Setting, by Brandon Botzet
 December 3rd, 2011

## MobileWard UI



#### Taken from [1]

### MobileWard UI



#### Problems from MobileWard

Screen changing with context-awareness Fragmented Information Confuse with keyboard layout "Tab, Caps, and Shift" vs. "Tablets, capsules, and shift medication" Fear of Spreading Bacteria

## Ward-In-Hand

Mobile Context-Aware with using minimum of three WLAN access points Smart Messaging through use of Agents



## Ward-In-Hand Survey

	Disagree	Neither	Agree
It is useful to know who is in the hospital and where they are in relation to me	1	0	27
It is useful to send messages that depend on context for their delivery	1	0	27
It is useful to have access to the patient's medical record through a handheld computer	1	0	27
Receiving messages can distract me from my daily work*	20	3	4
*One person did not respond to this question	Taken froi	n [2]	

#### Security and Reliability

- Wireless Local Area Network (WLAN)
- Encryption
- Common Language for Sharing

# Studying EPR in use

- Study with 26 million patient records in system, Denmark.
- Looked at team conferences, nursing handovers, and ward rounds in six categories
- NASA task load index (TLX) to measure stress, 0 (low
  - stress) -100 (high stress)

20 of 31 categories showed significant improvement\*
 \*Using multiple variable significance test (Anova) with a CI of 95%

## Results of EPR in Use

	Mean	Mean	Significance <i>p</i>
Mental Demand	40.28	8.85	< .001
Physical Demand	28.89	6.54	< .001
Temporal Demand	49.94	15.77	< .001
Effort	42.50	9.62	< .001
Performance	26.39	3.08	< .001
Frustration	27.78	3.08	< .001

Mental Workload for ward rounds

Taken from [3]

## Paper vs. EPR

• Efficiency

"The emergency room uses pre-printed [paper] forms for orders... this paper 'workaround' is more efficient/ expedient"

 Knowledge/ Skill/ Ease of Use "Physicians will get frustrated and say where is it?"

 Memory "Without a sheet of paper, I sometimes forget about [walk-in] patients"

#### Conclusion

Using EPR has the potential to help:
workload on hospital staff,
reduce medical errors,
and increase the quality of medical care provided

#### Acknowledgements

Thank you to Nic McPhee my advisor Elena Machkasova my instructor

Justin Mullin, Tori Stoll, and Johanna Lowrey for providing feedback on my paper

All of you for coming and supporting me!

#### References

[1] J. Kjeldskov and M. B. Skov. Exploring context-awareness for ubiquitous computing in the healthcare domain. Personal Ubiquitous Comput., 11:549-562, October 2007.

[2] M. A. Munoz, M. Rodrguez, J. Favela, A. I.
Martinez-Garcia, and V. M. Gonzalez. Context-aware mobile communication in hospitals. Computer, 36:38-46, September 2003.

[3] Esther N. Munyisia, Ping Yu, David Hailey, Does the introduction of an electronic nursing documentation system in a nursing home reduce time on documentation for the nursing staff?, International Journal of Medical Informatics, Volume 80, Issue 11, November 2011, Pages 782-792, ISSN 1386-5056, 10.1016/j.ijmedinf.2011.08.009.

[4] J. J. Saleem, A. L. Russ, C. F. Justice, H. Hagg, P. R. Ebright, P. A. Woodbridge, and B. N. Doebbeling.
Exploring the persistence of paper with the electronic health record. International Journal of Medical Informatics, 78(9):618 -628, 2009.

[5] M. Skov and R. Hegh. Supporting information access in a hospital ward by a context-aware mobile electronic patient record. Personal Ubiquitous Comput., 10:205-214, March 2006.

[6] U. Varshney. Pervasive healthcare and wireless health monitoring. Mob. Netw. Appl., 12:113-127, March 2007.